

# City of Falls City

299 Mill St • Falls City, Oregon • 97344 Ph. (503) 787-3631 • www.fallscityoregon.gov

## ANNUAL DRINKING WATER QUALITY REPORT 2020 CITY OF FALLS CITY

The City of Falls City is pleased to present to you this year's Annual Water Quality Report. This report is designed to inform you about the quality of water and services we deliver to you every day. We want to keep you informed about water and services the City has delivered to you over the past year. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts that are made to continually improve the water treatment process and protect our water treatment process and protect our water resources. Falls City is committed to ensuring the quality of your water.

The Water Treatment Plant has been operating since 1998. Falls City routinely monitors for constituents in the drinking water according to Federal and State laws. This table shows monitoring results for the calendar years 2020, 2019, 2018, 2017, and 2016.

We are proud your drinking water meets or exceeds all Federal and State requirements. Through monitoring and testing some constituents have been detected; however, the Environmental Protection Agency has determined that your water is safe at these levels.

All drinking water, including bottled water, is expected to contain at least small amounts of some contaminants. The presence of contaminates does not necessarily indicate the water poses a health risk. More information about contaminates and potential health effects can be obtained by calling the EPA Safe Drinking Water Hotline at 1-800-426-4791. Some people may be more vulnerable to contaminants in drinking water that the general population. Immune-compromised system disorders, some elderly, and infants can be particularly at risk from infections. EPS/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbiological contaminants are available from the Safe Water Hotline. MCL's are set at very stringent levels. The term contaminant refers to any substance which may be found in water. As water moves over the surface of land or through the ground, it dissolves naturally occurring minerals, soils and can pick up substances or contaminants such as microbes, inorganic and organic chemicals resulting from the presence of animals or human activity.

#### SOURCE OF WATER

The City utilizes Teal Creek and Glaze Creek drainage for its water supply.

## WATER TESTING

The City of Falls City has had one violation in 2008 VOC testing, and 2011 Violation for Chlorine by Products, 2013 and 2019, violation for not sending Turbidity monitoring report form by due date, 2013 violation chlorine by products, but is now in compliance with all regulations. Water is tested throughout the distribution system monthly for bacteriological analysis. The City is required to test for chemicals. Nitrates are required to be sampled yearly. In organics, synthetic organics and volatile organic chemicals are sampled every year. A Radiological sample is collected every four (4) years. The City tested for nitrogen in 2007.

Thank you for allowing us to continue providing your family with clean, quality water this year. In order to maintain a safe, dependable water supply we sometimes need to make improvements. These improvements are sometimes reflected as rate structure adjustments that will benefit all of our customers.

Please call City Hall if you have any questions. We at the City of Falls City work around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

## **DETECTED LEVELS OF STANDARDS**

The levels of standards for Inorganic chemicals, Volatile Organic chemicals and Synthetic Organic chemicals in the Teal Creek drainage waters were all not detected.

Other chemicals have been tested in the creek waters but there are no set contaminant levels, only guidelines that are associated with aesthetic effects such as staining of plumbing fixtures or tastes and odor problems. These chemicals are non-enforceable at this time.

The City has been below Federal and State standards for lead and copper testing. The City tested 10 homes in 2007. Tests have not been over the suggested maximum level for HAAS & TTHM.

ppb - Parts per billion or micrograms per liter.

One part per billion.

ppt - Parts per trillion or Nan grams per liter.

One part per trillion.

ppq - Parts per quadrillion or Pico grams per liter.

One part per quadrillion.

## SUBSTANCES TESTED FOR BUT NOT DETECTED IN TEAL CREEK

Substance	Units	Goal	Action Level	90 <sup>th</sup> Percentile	Home Exceeding Action Level	Complies	Source Contaminant
Lead	ppb	0	0.015	0	0	Y	Corrosion of pipes

## **ACRONYMS AND DEFINITIONS**

Treatment Technique (TT)  Turbidity  Turbidity describes how cloudy the water is. The smaller the number, the cleaner the water. Turbidity has no health effects; however, it can interfere with disinfection and provides a medium for microbial growth.  Maximum The maximum allowed (MCL) is the highest est. level on contaminant that is allowed in drinking water. MCL's are set as close to the MCLG's as feasible using the best available treatment technology.  Minimum The 'Goal' (MCLG) is the level of a contaminant Level Goal drinking water below which there is no known or expected risk to health. MCLG's allow for a margin of safety.  Lead Lead in drinking water is rarely the sole cause of lead poisoning but can add to a person's total lead exposure. All potential sources of lead in household should be identified, removed, replaced or reduced. Infants and young children are typically more vulnerable to lead in drinking water, than the general population. It is possible lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing. If you are concerned about elevated lead level in your home's water, you may wish to have your water tested and flush your tap for 30 seconds to 2 minutes before using tap water. Additional information from Safe Drinking Water Hotline; 1-800-426-4791.  PH Indicates whether a liquid is acidic or basic.  Hardness is an indication of the amount of dissolved minerals in water. The City's water has a hardness level of 22 ppm, which is considered "soft".		
Turbidity  Turbidity  Turbidity describes how cloudy the water is. The smaller the number, the cleaner the water. Turbidity has no health effects; however, it can interfere with disinfection and provides a medium for microbial growth.  Maximum The maximum allowed (MCL) is the highest est. level on contaminant that is allowed in drinking water. MCL's are set as close to the MCLG's as feasible using the best available treatment technology.  Minimum The 'Goal' (MCLG) is the level of a contaminant Level Goal drinking water below which there is no known or expected risk to health. MCLG's allow for a margin of safety.  Lead Lead in drinking water is rarely the sole cause of lead poisoning but can add to a person's total lead exposure. All potential sources of lead in household should be identified, removed, replaced or reduced. Infants and young children are typically more vulnerable to lead in drinking water, than the general population. It is possible lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing. If you are concerned about elevated lead level in your home's water, you may wish to have your water tested and flush your tap for 30 seconds to 2 minutes before using tap water. Additional information from Safe Drinking Water Hotline; 1-800-426-4791.  ph Indicates whether a liquid is acidic or basic.  Hardness is an indication of the amount of dissolved minerals in water. The City's water has a hardness level of 22 ppm, which is considered "soft".	Action Level (AL)	The concentration of contaminant which exceeded triggers a treatment technique or other requirement which water system must follow.
the water. Turbidity has no health effects; however, it can interfere with disinfection and provides a medium for microbial growth.  Maximum Contaminant The maximum allowed (MCL) is the highest est. level on contaminant that is allowed in drinking water. MCL's are set as close to the MCLG's as feasible using the best available treatment technology.  Minimum Contaminant The 'Goal' (MCLG) is the level of a contaminant Level Goal drinking water below which there is no known or expected risk to health. MCLG's allow for a margin of safety.  Lead  Lead in drinking water is rarely the sole cause of lead poisoning but can add to a person's total lead exposure. All potential sources of lead in household should be identified, removed, replaced or reduced. Infants and young children are typically more vulnerable to lead in drinking water, than the general population. It is possible lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing. If you are concerned about elevated lead level in your home's water, you may wish to have your water tested and flush your tap for 30 seconds to 2 minutes before using tap water. Additional information from Safe Drinking Water Hotline; 1-800-426-4791.  pH Indicates whether a liquid is acidic or basic.  Hardness Hardness is an indication of the amount of dissolved minerals in water. The City's water has a hardness level of 22 ppm, which is considered "soft".		A required process intended to reduce the level of Contaminant in drinking water.
Allowed in drinking water. MCL's are set as close to the MCLG's as feasible using the best available treatment technology.  The 'Goal' (MCLG) is the level of a contaminant Level Goal drinking water below which there is no known or expected risk to health. MCLG's allow for a margin of safety.  Lead  Lead Lead In drinking water is rarely the sole cause of lead poisoning but can add to a person's total lead exposure. All potential sources of lead in household should be identified, removed, replaced or reduced. Infants and young children are typically more vulnerable to lead in drinking water, than the general population. It is possible lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing. If you are concerned about elevated lead level in your home's water, you may wish to have your water tested and flush your tap for 30 seconds to 2 minutes before using tap water. Additional information from Safe Drinking Water Hotline; 1-800-426-4791.  pH Indicates whether a liquid is acidic or basic.  Hardness is an indication of the amount of dissolved minerals in water. The City's water has a hardness level of 22 ppm, which is considered "soft".	Turbidity	the water. Turbidity has no health effects; however, it can interfere with
Contaminant which there is no known or expected risk to health. MCLG's allow for a margin of safety.  Lead Lead in drinking water is rarely the sole cause of lead poisoning but can add to a person's total lead exposure. All potential sources of lead in household should be identified, removed, replaced or reduced. Infants and young children are typically more vulnerable to lead in drinking water, than the general population. It is possible lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing. If you are concerned about elevated lead level in your home's water, you may wish to have your water tested and flush your tap for 30 seconds to 2 minutes before using tap water. Additional information from Safe Drinking Water Hotline; 1-800-426-4791.  pH Indicates whether a liquid is acidic or basic.  Hardness I Hardness is an indication of the amount of dissolved minerals in water. The City's water has a hardness level of 22 ppm, which is considered "soft".  TTHM & HAAS Chlorine by-products.		allowed in drinking water. MCL's are set as close to the MCLG's as feasible using
person's total lead exposure. All potential sources of lead in household should be identified, removed, replaced or reduced. Infants and young children are typically more vulnerable to lead in drinking water, than the general population. It is possible lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing. If you are concerned about elevated lead level in your home's water, you may wish to have your water tested and flush your tap for 30 seconds to 2 minutes before using tap water. Additional information from Safe Drinking Water Hotline; 1-800-426-4791.  pH		which there is no known or expected risk to health. MCLG's allow for a margin of safety.
Hardness is an indication of the amount of dissolved minerals in water. The City's water has a hardness level of 22 ppm, which is considered "soft".  TTHM & HAAS Chlorine by-products.	Lead	person's total lead exposure. All potential sources of lead in household should be identified, removed, replaced or reduced. Infants and young children are typically more vulnerable to lead in drinking water, than the general population. It is possible lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing. If you are concerned about elevated lead level in your home's water, you may wish to have your water tested and flush your tap for 30 seconds to 2 minutes before using tap water. Additional information from Safe Drinking Water Hotline; 1-800-426-
water has a hardness level of 22 ppm, which is considered "soft".  TTHM & HAAS Chlorine by-products.	рН	
TTHM & HAAS Chlorine by-products.	Hardness	Hardness is an indication of the amount of dissolved minerals in water. The City's water has a hardness level of 22 ppm, which is considered "soft".
Non-Detects (ND) Laboratory indicates that the constituents are not present	TTHM & HAAS	
(107) and the district of the constitution of the present	Non-Detects (ND)	Laboratory indicates that the constituents are not present.

		and the second s	2020		
CONTAMINATE	MCL mg/1	Date & Level Detected	HEALTH RISKS	SOURCE OF CONTAMINATION	VIOLATION?
HAAS (Total) Haloacetic Acid)	0.60	0.048 2/20 0.038 4/20 0.031 7/20 0.04510/20	Increased risk of cancer	By products of drinking water chlorination for disinfection	No
TTHM (Total Trihalomethanes)	0.80	0.054 2/20 0.028 4/20 0.033 7/20 0.052 10/20	Liver, kidney, central nervous effects, increase risk of cancer	By products of drinking water chlorination for disinfection	No
Turbidity	1.0 NTU	7/20 High 0.15 2/20 Low 0.03 0.09 - Monthly Average	Measures of cloudiness of water. High levels are often associated with disease.	Soil run-off	No

	0.000		2015		
CONTAMINATE	MCL	Date & Level	HEALTH RISKS	SOURCE OF	VIOLATION?
	mg/1	Detected		CONTAMINATION	
HAAS (Total)	0.60	0.0440	Increased risk of	By products of drinking	No
Haloacetic Acid)		1/7/19	cancer	water chlorination for	
,		0.0462	3311331	disinfection	
		4/12/19		l	
1		0.0281			
1					
	ļ	7/1/19			
		0.0440			
		10/23/19			ļ
TTHM (Total	0.80	0.0514	Liver, kidney,	By products of drinking	No
Trihalomethanes)		1/7/19	central nervous	water chlorination for	
		0.0417	effects, increase	disinfection	
1		4/12/19	risk of cancer	787 D 7 1 389	
		0.0299			
		7/1/19			
		0.0543			
		10/15/19			İ
Turbidity	1.0	10/08/19	Measures of	Soil run-off	No
,	NTU	.06 - High	cloudiness of water.	55% (41) 511	140
		.02 - Low	High levels are		
			•		
		.04 – Monthly	often associated		
		<u>Average</u>	with disease.		

**2018 REPORT** 

2016 REPORT							
CONTAMINATE	MCL mg/1	Date & Level Detected	HEALTH RISKS	SOURCE OF CONTAMINATION	VIOLATION?		
HAAS (Total) Haloacetic Acid)	0.60	0.0332 4/18 0.0244 7/18 0.0377 10/18 1/18	Increased risk of cancer	By products of drinking water chlorination for disinfection	No		
TTHM (Total Trihalomethanes)	0.80	0.0334 1/18 0.0332 4/18 0.0569 7/18 0.0254 10/18	Liver, kidney, central nervous effects, increase risk of cancer	By products of drinking water chlorination for disinfection	No		
Turbidity	1.0 NTU	4/10/2018 .19 – High .03 - Low 0.11 – Monthly Average	Measures of cloudiness of water. High levels are often associated with disease.	Soil run-off	No		
Copper	1.3	8/30/2018 0.016, 0.176,	EPA considers lead a probable human	Corrosion of household plumbing; erosion of	No		

		0.035, 0.149, 0.010, 0.038, 0.0219	carcinogen.	natural deposits; leaching from wood preservatives	
Lead	0.015	8/30/2018 0.016	Stomach and intestinal distress, liver or kidney damage & complications from Wilson's disease.	Corrosion of household plumbing; erosion of natural deposits.	No

2017 REPORT

CONTAMINATE	MCL mg/1	Date & Level Detected	HEALTH RISKS	SOURCE OF CONTAMINATION	VIOLATION?		
HAAS (Total) Haloacetic Acid)	0.60	0.0323 1/17 0.0352 4/17 0.0243 7/17 0.058410/17	Increased risk of cancer	By products of drinking water chlorination for disinfection	No		
TTHM (Total Trihalomethanes)	0.80	0.0245 1/17 0.0508 4/17 0.0300 7/17 0.0662 10/17	Liver, kidney, central nervous effects, increase risk of cancer	By products of drinking water chlorination for disinfection	No		
Turbidity	1.0 NTU	.25-6/17-High .03-8/17-Monthly Average	Measures of cloudiness of water. High levels are often associated with disease.	Soil run-off	No		

2016 REPORT

CONTAMINATE	MCL mg/1	Date & Level Detected	HEALTH RISKS	SOURCE OF CONTAMINATION	VIOLATION?
HAAS (Total) Haloacetic Acid)	0.60	0.0323 1/21 0.0352 4/7 0.0243 7/7 0.058410/20	Increased risk of cancer	By products of drinking water chlorination for disinfection	No
TTHM (Total Trihalomethanes)	0.80	0.0245 1/21 0.0508 4/7 0.0300 7/7 0.0662 10/20	Liver, kidney, central nervous effects, increase risk of cancer	By products of drinking water chlorination for disinfection	No
Turbidity	1.0 NTU	June 25 .25 – High .15 – Monthly Average	Measures of cloudiness of water. High levels are often associated with disease.	Soil run-off	No